

Preparation Date: 01/01/2019

Revision Date: N/A

Revision Number: N/A

**1. Identification****Product identifier**

**Product code:** C3579  
**Product Name:** N,N-DIMETHYLFORMAMIDE, REAGENT, ACS

**Other means of identification**

**Synonyms:** DMF  
DMFA  
Dimethyl formamide  
Dimethylformamide  
DN,N-Dimethyl formamide  
N,N-Dimethylmethanamide  
N-Formyldimethylamine  
Dimetilformamida (Spanish)  
Diméthylformamide (French)

**CAS #:** 68-12-2  
**RTECS #** LQ2100000  
**CI#:** Not available

**Recommended use of the chemical and restrictions on use**

**Recommended use:** Solvent.  
**Uses advised against** No information available

**Supplier:** Dawn Scientific Inc  
121 Liberty Street, Metuchen, NJ, 08840  
Tel : 732-902-6300 | Fax : 973-802-1005  
sales@dawnscientific.com | www.dawnscientific.com

**Emergency telephone number** Chemtrec 1-800-424-9300

**2. HAZARDS IDENTIFICATION****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

**Label elements****Danger****Hazard statements**

Harmful if swallowed

Toxic if inhaled

Causes serious eye irritation

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure

Flammable liquid and vapor

**Hazards not otherwise classified (HNOC)**

Not Applicable

**Other hazards**

May be harmful in contact with skin

Causes mild skin irritation

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/.../equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

**Precautionary Statements - Response***IF exposed or concerned: Get medical advice/attention*In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight-%
N,N-Dimethylformamide	68-12-2	100

### **4. FIRST AID MEASURES**

#### **First aid measures**

**General Advice:** National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.

**Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.

**Eye Contact:** Flush eyes with water for 15 minutes. Get medical attention.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

**Ingestion:** Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Obtain medical attention.

#### **Most important symptoms and effects, both acute and delayed**

**Symptoms**

- Causes serious eye irritation
- Causes conjunctival irritation
- Mild skin irritation
- Lacrimation
- Dyspnea (Difficulty breathing and shortness of breath)
- Ingestion may cause vomiting and nausea
- Abdominal pain
- May cause methemoglobinemia and cyanosis
- Central nervous system effects
- May cause cardiovascular effects
- May cause loss of appetite
- It may affect the kidneys
- May affect the liver

#### **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician:** Treat symptomatically.

#### **Protection of first-aiders**

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

### **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

<b>Suitable Extinguishing Media:</b>	Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Alcohol-resistant foam. Water spray.
<b>Unsuitable Extinguishing Media:</b>	Do not use a solid (straight) water stream as it may scatter and spread fire.

### **Specific hazards arising from the chemical**

<b>Hazardous combustion products</b>	Carbon Monoxide, Carbon Dioxide. Nitrogen oxides (NO <sub>x</sub> ). Dimethylamine.
<b>Specific hazards</b>	Flammable. May be ignited by heat, sparks or flames. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Container explosion may occur under fire conditions or when heated.

### **Special Protective Actions for Firefighters**

<b>Specific Methods:</b>	No information available
<b>Special Protective Equipment for Firefighters:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions:</b>	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.
------------------------------	---

<b><u>Environmental precautions</u></b>	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.
---	--

### **Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth).
<b>Methods for cleaning up</b>	Use appropriate tools to put the spilled solid in a suitable waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling**

#### **Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

**Safe Handling Advice**

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities****Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

**Incompatible Materials:**

Oxidizing agents  
Reducing agents  
Acids  
Alkali Metals  
Sodium  
Bromine  
Phosphorous trioxide  
Chlorine  
Sodium borohydride  
Sodium tetrahydroborate  
Sodium hydride  
Ethylene bromide  
Hexachlorobenzene  
Cyanuric chloride  
Lithium azide  
Triethylaluminum  
chlorinated hydrocarbons  
Diisocyanatomethane  
Methylene diisocyanate  
halogenated hydrocarbons  
Nitrates  
Carbon tetrachloride  
alkylaluminum compounds  
Sodium hydroborate and heat  
Sulfinyl chloride and traces of zinc or iron  
2,4,6-Trichloro-1,3,5-triazine  
2,5-dimethylpyrrole and phosphorus oxychloride

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****National occupational exposure limits****United States**

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m <sup>3</sup> TWA	10 ppm TWA 30 mg/m <sup>3</sup> TWA	5 ppm TWA	None

**Canada**

Component	CAS No	Canada - Alberta	Canada - British	Canada - Ontario	Canada - Quebec
-----------	--------	------------------	------------------	------------------	-----------------

			<b>Columbia</b>		
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m <sup>3</sup> TWA	10 ppm TWA	None	None

#### Australia and Mexico

Component	CAS No	Australia	Mexico
N,N-Dimethylformamide	68-12-2	10 ppm TWA 30 mg/m <sup>3</sup> TWA	10 ppm TWA 30 mg/m <sup>3</sup> TWA 20 ppm STEL 60 mg/m <sup>3</sup> STEL

#### Appropriate engineering controls

#### Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

#### Individual protection measures, such as personal protective equipment

#### Personal Protective Equipment

**Eye protection:** Goggles

**Skin and body protection:** Chemical resistant apron  
Long sleeved clothing  
Gloves

**Respiratory protection:** Respiratory protection is not necessary for normal handling. Good room ventilation or use of local exhaust (fume hood) is sufficient. Use a vapor respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapor, inadequate ventilation, development of respiratory tract irritation), and engineering controls are not feasible. Be sure to use an approved/certified respirator or equivalent.

**Hygiene measures:** Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:**  
Liquid

**Appearance:**  
No information available.

**Color:**  
Colorless. Light yellow.

**Odor:**  
Amine-like. Fishy.

**Taste**  
No information available.

**Formula**  
C<sub>3</sub>-H<sub>7</sub>-N-O or HCON(CH<sub>3</sub>)<sub>2</sub>

**Molecular/Formula weight (g/mole):**  
73.09

**Flammability (solid, gas)**  
no data available

**Flashpoint (°C/°F):**  
57.778 °C/136 °F  
67 °C/152.6 °F

**Flash Point Tested according to:**  
Closed cup  
Open cup

**Autoignition Temperature (°C/°F):**  
445 °C/833 °F

**Lower Explosion Limit (%):**  
2.2%

**Upper Explosion Limit (%):**  
15.2%

**Melting point/range(°C/°F):**  
-61 °C/-77.8 °F

**Decomposition temperature(°C/°F):**  
No information available

**Boiling point/range(°C/°F):**

153 °C/307.4 °F @ 760 mm Hg

**Bulk density:**  
No information available

**Density (g/cm<sup>3</sup>):**  
0.9445-0.95 @ 25 °C

**Specific gravity:**  
0.949

**pH**  
No information available

**Vapor pressure @ 20°C (kPa):**  
0.3466

**Evaporation rate:**  
No information available

**Vapor density:**  
2.51

**VOC content (g/L):**  
No information available

**Odor threshold (ppm):**  
100

**Partition coefficient  
(n-octanol/water):**  
-1.01

**Viscosity:**  
No information available

**Miscibility:**  
Miscible with water  
Miscible with many organic solvents

**Solubility:**  
Soluble in Ether  
Soluble in Chloroform  
Soluble in Benzene  
Soluble in hot alcohol  
Soluble in Acetone

## 10. STABILITY AND REACTIVITY

### Reactivity

Dimethylformamide forms explosive reactions with: Bromine, Potassium permanganate, Lithium azide, Triethylaluminum and heat, and Uranium perchlorate  
Reacts vigorously with oxidizing agents  
Reactive with reducing agents  
Reactive with acids

### Chemical stability

**Stability:** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur

**Conditions to avoid:** Heat. Ignition sources. Incompatible materials.

**Incompatible Materials:**

- Oxidizing agents
- Reducing agents
- Acids
- Alkali Metals
- Sodium
- Bromine
- Phosphorous trioxide
- Chlorine
- Sodium borohydride
- Sodium tetrahydroborate
- Sodium hydride
- Ethylene bromide
- Hexachlorobenzene
- Cyanuric chloride
- Lithium azide
- Triethylaluminum
- chlorinated hydrocarbons
- Diisocyanatomethane
- Methylene diisocyanate
- halogenated hydrocarbons
- Nitrates

Carbon tetrachloride  
alkylaluminum compounds  
Sodium hydroborate and heat  
Sulfinyl chloride and traces of zinc or iron  
2,4,6-Trichloro-1,3,5-triazine  
2,5-dimethylpyrrole and phosphorus oxychloride

**Hazardous decomposition products:**

When heated to decomposition it emits toxic fumes. Carbon monoxide. Nitrogen oxides (NOx). Dimethylamine.

**Other Information**

**Corrosivity:**

No information available

**Special Remarks on Corrosivity:** Pure Dimethylformamide is essentially noncorrosive to metals. However, copper, tin and their alloys should be avoided

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Principal Routes of Exposure:**

Ingestion. Skin. Inhalation.

**Acute Toxicity**

**Component Information**

N,N-Dimethylformamide	
CAS No	68-12-2

**LD50/oral/rat** = 2800 mg/kg Oral LD50 Rat; 2000 mg/kg Oral LD50 Rat

**LD50/oral/mouse** = 2900 mg/kg (RTECS)

3750 mg/kg (RTECS)

**LD50/dermal/rabbit** = 4720 mg/kg (RTECS)

**LD50/dermal/rat** = 1100 mg/kg Dermal LD50; > 3.2 g/kg Dermal LD50

**LC50/inhalation/rat** = 3421 ppm 1 h (RTECS)

1948 ppm 4 h (RTECS)

**LC50/inhalation/mouse** = 9.4 g/m<sup>3</sup> 2 h (RTECS)

**Other LD50 or LC50 information** = 5000 mg/kg Oral LD50 Rabbit (LOLI)

**Product Information**

**LD50/oral/rat** =

**Value - Acute Tox** = 2000 mg/kg

**LD50/oral/mouse** =

**Value - Acute Tox Oral** = 2900 mg/kg

**LD50/dermal/rabbit**

**Value - Acute Tox** = 4720 mg/kg

**LD50/dermal/rat**

**VALUE - Acute Tox Dermal** = 1100 mg/kg

**LC50/inhalation/rat**



**VALUE-Vapor** = No information available  
**VALUE-Gas** = 1948 ppm (4-hr)  
**VALUE-Dust/Mist** = No information available

**LC50/Inhalation/mouse**

**VALUE-Vapor** = No information available  
**VALUE - Gas** = No information available  
**VALUE - Dust/Mist** = 9400 mg/m<sup>3</sup> 2 hr

**Symptoms**

<b>Skin Contact:</b>	May cause skin irritation. Mild skin irritation. It can be absorbed through the skin. May be harmful in contact with skin. It may facilitate the absorption of other dissolved substances. Absorption through the skin may cause systemic effects similar to those of inhalation or ingestion.
<b>Eye Contact:</b>	Causes eye irritation. Severe eye irritation. Causes conjunctivitis. Lachrymator (substance which increases the flow of tears).
<b>Inhalation</b>	Toxic by inhalation. May cause irritation of respiratory tract. Symptoms may include coughing and wheezing. Can cause dyspnea (shortness of breath and difficulty breathing). Causes lacrimation. May cause conjunctival irritation. May cause loss of appetite. May cause nausea, vomiting. May cause abdominal pain. May cause diarrhea or constipation. May cause cyanosis. May cause methemoglobinemia (the formation of methemoglobin in the blood which causes deficient oxygenation of the blood due to decreased available hemoglobin). Methemoglobinemia can lead to cyanosis (bluish skin and lips due to deficient oxygenation of the blood), and can result in fatigue, dizziness, lightheadedness, headache, mental impairment, incoordination, muscular weakness, convulsions/seizures, tachycardia or bradycardia (slow or fast heart beat), hypertension, dysrhythmias, dyspnea (shortness of breath and labored breathing), loss of consciousness, and death. Arterial blood with elevated methemoglobin levels has a characteristic chocolate-brown color as compared to normal bright red oxygen containing arterial blood. Severe methemoglobinemia is characterized by bradycardia or tachycardia (slow or fast heart beat), dysrhythmias, seizures, coma and death. May cause carboxyhemoglobinemia (the binding of hemoglobin to carbon monoxide in place of oxygen - also known as carbon monoxide poisoning). May affect the brain. It may affect behavior/central nervous system (convulsions/seizures). May affect behavior/central nervous system (somnolence). May affect behavior/central nervous system (central nervous system depression, headache, confusion, fatigue, irritability, muscle weakness, coma). It may affect the cardiovascular system (bradycardia, hypotension). May affect the kidneys. It may affect the liver (hepatotoxin - enlarged liver, elevated liver enzymes, jaundice). It may affect the blood (changes in serum composition). Exposure to dimethylformamide can cause ethanol intolerance. When occupationally exposed workers also ingest ethanol, it can cause flushing of the face and neck, abnormal taste (dysgeusia), and palpitations.
<b>Ingestion</b>	Harmful if swallowed. Ingestion may cause nausea, vomiting. May cause abdominal pain. May cause loss of appetite. May affect liver. May affect urinary system (kidneys). It may affect the blood (leukocytosis). May affect behavior/central nervous system (somnolence, ataxia, tetany, general anesthetic, muscle weakness). May affect the cardiovascular system (hypertension).
<b>Aspiration hazard</b>	No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Chronic Toxicity**

Prolonged or repeated ingestion may affect metabolism (cause anorexia, weight loss). Prolonged or repeated ingestion may affect the liver, and kidneys. Prolonged or repeated inhalation may affect the cardiovascular system (degenerative changes in the myocardium). Prolonged or repeated inhalation may cause central nervous system effects. Prolonged or repeated inhalation may cause loss of appetite. Prolonged or repeated inhalation may affect metabolism (weight loss). Prolonged or repeated inhalation may affect the brain. Prolonged or repeated inhalation may affect the kidneys. Prolonged or repeated inhalation may affect the liver. Prolonged or repeated skin absorption may affect the liver and kidneys. Prolonged or repeated exposure may affect the autonomic nervous system. Chronic intensive skin contact may cause dermatitis. Prolonged or repeated inhalation or ingestion may affect the blood (decrease in platelets and longer blood coagulation times, leukopenia, lymphocytosis, anemia, polycythemia).

**Sensitization:**

No information available.

**Mutagenic Effects:**

May affect genetic material  
 Mutagenic effects in mammalian somatic cells  
 Experiments with animal lymphocytes have shown mutagenic effects  
 Mutations in microorganisms  
 Experiments with bacteria have shown mutagenic effects

**Carcinogenic effects:**

Probably carcinogenic to humans.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
N,N-Dimethylformamide	68-12-2	Group 2A-Probably carcinogenic to humans - Monograph 115 [2018] was on Group 3	A3 Confirmed Animal Carcinogen with Unknown Relevance to Humans	Not listed	Present	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

**Reproductive toxicity**

May damage fertility or the unborn child

**Reproductive Effects:**

May cause adverse reproductive effects  
 May impair fertility  
 Experiments have shown reproductive toxicity effects on laboratory animals

**Developmental Effects:**

May cause harm to the unborn child  
 May cause adverse developmental effects based on animal data

**Teratogenic Effects:**

No information available

**Specific Target Organ Toxicity****STOT - single exposure**

No information available.

**STOT - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Target Organs:** Liver. Kidneys. Cardiovascular system. Nervous system. Central nervous system.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Ecotoxicity effects:** Aquatic environment.

*N,N-Dimethylformamide - 68-12-2*

**Algae/aquatic plants**

EC50: >500mg/L (96h, *Desmodesmus subspicatus*)

**Fish**

LC50: =6300mg/L (96h, *Lepomis macrochirus*) LC50: =9800mg/L (96h, *Oncorhynchus mykiss*) LC50: =10410mg/L (96h, *Pimephales promelas*)

**Crustacea**

EC50: =7500mg/L (48h, *Daphnia magna*) EC50: =8485mg/L (48h, *Daphnia magna*) EC50: 6800 - 13900mg/L (48h, *Daphnia magna*)

**Persistence and degradability:** No information available

**Bioaccumulative potential:** No information available.

**Mobility in soil** No information available

**Other adverse effects** No information available.

## 13. DISPOSAL CONSIDERATIONS

### Disposal Methods

#### **Waste from residues / unused products:**

Waste must be disposed of in accordance with Federal, State and Local regulation.

#### **Contaminated packaging:**

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
N,N-Dimethylformamide	68-12-2	None	None	None	None

## 14. TRANSPORT INFORMATION

### **DOT**

**UN-No:** UN2265

**Proper Shipping Name:** N,N-Dimethylformamide

**Hazard Class** 3

**Subsidiary Class** No information available

**Packing group:** III

**Emergency Response Guide Number** 129

**Marine Pollutant** No data available

**DOT RQ (lbs):** No information available

**Special Provisions** B1, IB3, T2, TP2

**Symbol(s):** [DOT]: (R3) - Identifies a material that is a hazardous substance that has a reportable quantity (RQ) of 100 pounds (45.4 Kilograms).

**Description:** UN2265, N,N-Dimethylformamide, 3, III

### **TDG (Canada)**

<b>UN-No:</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethylformamide
<b>Hazard Class</b>	3
<b>Subsidiary Risk:</b>	No information available
<b>Packing Group:</b>	III
<b>Marine Pollutant</b>	No Information available
<b>Description:</b>	UN2265, N,N-Dimethylformamide, 3, III

#### ADR

<b>UN Number</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethyl-formamide
<b>Transport hazard class(es)</b>	3
<b>Packing group</b>	III
<b>Subsidiary Risk:</b>	No information available
<b>Description:</b>	UN2265, N,N-Dimethyl-formamide, 3, III

#### IMDG

<b>UN-No:</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethylformamide
<b>Hazard Class:</b>	3
<b>Subsidiary Risk:</b>	No information available
<b>Packing Group:</b>	III
<b>Marine Pollutant</b>	No information available
<b>EMS:</b>	F-E
<b>Description</b>	UN2265, N,N-Dimethylformamide, 3, III

#### RID

<b>UN Number</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethylformamide
<b>Transport hazard class(es)</b>	3
<b>Subsidiary Risk:</b>	3
<b>Packing group</b>	III
<b>Description:</b>	UN2265, N,N-Dimethylformamide, 3, III

#### ICAO (air)

<b>UN-No:</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethylformamide
<b>Hazard Class</b>	3
<b>Subsidiary Risk:</b>	No information available
<b>Packing Group:</b>	III
<b>Description:</b>	UN2265, N,N-Dimethylformamide, 3, III

#### IATA

<b>UN Number</b>	UN2265
<b>Proper Shipping Name:</b>	N,N-Dimethylformamide
<b>Transport hazard class(es)</b>	3
<b>Subsidiary Risk:</b>	No information available
<b>Packing group</b>	III
<b>Precautionary Statements - Response</b>	3L
<b>Special Provisions</b>	No information available
<b>Description:</b>	UN2265, N,N-Dimethylformamide, 3, III

### 15. REGULATORY INFORMATION

#### International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia AICS	EINECS-No.
<i>N,N</i> -Dimethylformamide	68-12-2	PresentACTIVE	PresentKE-11411	Present	Present(2)-680	Present	Present	Present200-679-5

## U.S. Regulations

### *N,N*-Dimethylformamide

**Massachusetts RTK:** Present

**New Jersey RTK Hazardous Substance List:** 0759

**New Jersey (EHS) List:** 0759 500 lb TPQ

**New Jersey - Discharge Prevention - List of Hazardous Substances:** Present

**Pennsylvania RTK:** Present

**Minnesota - Hazardous Substance List:** Present

**New York Release Reporting - List of Hazardous Substances:**

1 lb RQ


**Louisiana Reportable Quantity List for Pollutants:** 100lbfinal RQ

45.4kgfinal RQ

**California Directors List of Hazardous Substances:** Present

## California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

### Chemicals Known to the State of California to Cause Cancer:

 **WARNING:** This product can expose you to chemicals including (see table below) which is (are) known to the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).

### Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
<i>N,N</i> -Dimethylformamide	68-12-2	carcinogen	Not Listed	Not Listed	Not Listed

## CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
<i>N,N</i> -Dimethylformamide	68-12-2	100 lb final RQ 45.4 kg final RQ	None	None	None	1.0 % de minimis concentration

## U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals With Significant New Use Rules (SNURS)	TSCA 8(d) -Health and Safety Reporting
<i>N,N</i> -Dimethylformamide	68-12-2	Not Applicable	Not Applicable

## Canada

### WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component

*N,N*-Dimethylformamide

68-12-2 ( 100 )

WHMIS 2015 Hazard Classification

Flammable liquids - Category 3: H226 Flammable liquid and vapour.; Acute toxicity - Inhalation - Category 4: H332 Harmful if

inhaled.; Serious Eye Damage/Eye Irritation - Category 2A: H319 Causes serious eye irritation.; Reproductive Toxicity - Category 1: H360 May damage fertility or the unborn child.; Specific target organ toxicity - Repeated exposure - Category 1: H372 Causes damage to organs through prolonged or repeated exposure.

**Canada Hazardous Products Regulation** This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

## DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
N,N-Dimethylformamide	68-12-2	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
N,N-Dimethylformamide	68-12-2	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
N,N-Dimethylformamide	68-12-2	Not listed

## EU Classification

### EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
N,N-Dimethylformamide	68-12-2	Acute toxicity - Dermal - Acute Tox. 4: H312 Harmful in contact with skin. (Minimum classification); Acute toxicity - Inhalation - Acute Tox. 4: H332 Harmful if inhaled. (Minimum classification); Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation.; Reproductive Toxicity - Repr. 1B: H360D May damage the unborn child. (Hazard statements H360 and H361 indicate a general concern for effects on both fertility and development: May damage/Suspected of damaging fertility or the unborn child; According to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with section 1.1.2.1.2; When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation)616-001-00-X

### EU - CLP (1272/2008)

#### **R-phrases(s)**

R36 - Irritating to eyes

R61 - May cause harm to the unborn child

R20/21 - Harmful by inhalation and in contact with skin

**S -phrase(s)**

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

S53 - Avoid exposure - obtain special instructions before use

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
N,N-Dimethylformamide	68-12-2	Xn; R20/21 Xi; R36 Repr.Cat.2; R61	No information	S53 S45

**The product is classified in accordance with Annex VI to Directive 67/548/EEC****Indication of danger:**

Xn - Harmful

Xi - Irritant

**Xn****Xi****16. OTHER INFORMATION****Preparation Date:** 01/01/2019**Revision date** N/A**Prepared by:** -**Disclaimer:**

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Dawn Scientific Inc Chemicals & Laboratory Products, assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Dawn Scientific Inc assumes no responsibility for the completeness or accuracy of the information contained herein.

**End of Safety Data Sheet**